AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

- 1. (Currently Amended) A bioactive glass having a composition substantially comprising 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, and 20 mol % or less of Na₂O, said bioactive glass having a glass transition temperature of 790°C or lower, wherein said bioactive glass is substantially free from P₂O₅ and is a sintering aid in a sintered calcium phosphate glass.
 - 2. (Original) The bioactive glass according to claim 1, further comprising CaF₂.
 - 3. (Original) The bioactive glass according to claim 1, further comprising B₂O₃.
 - 4. (Canceled)
- 5. (Original) The bioactive glass according to claim 1, wherein a difference between its glass transition temperature and its crystallization initiation temperature is 80°C or more.
 - 6. (Canceled)
- 7. (Currently Amended) A bioactive glass having a composition substantially comprising 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, and at least one of Na₂O, CaF₂ and B₂O₃, Na₂O being 20 mol % or less, CaF₂ being 0.1-1 mol %, and B₂O₃ being 5 mol % or less, said bioactive glass having a glass transition temperature of 790°C or lower.

- 8. (Cancel)
- 9. (Original) The bioactive glass according to claim 7, wherein said bioactive glass is substantially free from P_2O_5 .
- 10. (Original) A sintered calcium phosphate glass comprising the bioactive glass recited in claim 1 as a sintering aid.
- 11. (Previously Amended) The sintered calcium phosphate glass according to claim 10, wherein said sintered calcium phosphate glass contains a calcium phosphate comprising a hydroxyapatite, a carbonated apatite or tricalcium phosphate.
- 12. (Currently Amended) A bioactive glass having a composition consisting essentially of 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, and 0.1-5 mol % of Na₂O₁ wherein said bioactive glass is a sintering aid in a sintered calcium phosphate glass.
- 13. (Currently Amended) A bioactive glass having a composition consisting essentially of 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, 0.1-5 mol % of Na₂O, and 0.1-1 mol % of CaF₂.
- 14. (Previously Presented) A bioactive glass having a composition consisting essentially of 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, 0.1-5 mol % of Na₂O, and B_2O_3 .
- 15. (Previously Presented) The bioactive glass according to claim 12, wherein a difference between its glass transition temperature and its crystallization initiation temperature is 80°C or more.
 - 16. (Cancel)

- 17. (Currently Amended) A bioactive glass having a composition consisting essentially of 30 to 60 mol % of CaO, 40 to 70 mol % of SiO₂, and at least one of Na₂O, CaF₂ and B₂O₃, Na₂O being 0.1 to 5 mol %, CaF₂ being <u>0.1-</u>1 mol %, and B₂O₃ being 5 mol % or less.
- 18. (Previously Presented) The bioactive glass according to claim 12, wherein said bioactive glass is substantially free from P₂O₅.
- 19. (Previously Presented) The bioactive glass according to claim 17, wherein said bioactive glass is substantially free from P₂O₅.
- 20. (Previously Presented) A sintered calcium phosphate glass comprising the bioactive glass recited in claim 12 as a sintering aid.
- 21. (Previously Presented) The sintered calcium phosphate glass according to claim 20, wherein said sintered calcium phosphate glass contains a calcium phosphate comprising a hydroxyapatite, a carbonated apatite or tricalcium phosphate.
- 22. (Previously Presented) The bioactive glass according to claim 1, comprising CaO and SiO₂ in approximately equal molar ratios.
 - 23. (Canceled)
- 24. (New) The sintered calcium phosphate glass according to claim 10, wherein said bioactive glass generates a ß-wollastonite crystal at a crystallization temperature.
- 25. (New) The sintered calcium phosphate glass according to claim 20, wherein said bioactive glass generates a ß-wollastonite crystal at a crystallization temperature.